Add.:No.7-101,Baoyuan Road,Huijiang Village,Dashi Town,Panyu,Guangzhou City. E-mail:alicechan_1001@hotmail.com Mp:+86-15914233525 Fax.:+86-20-61906355

Website: www.invisible-grille.com

Wechat &WhatsAPP:+86-15914233525 Contact person: Ms Alice

Invisible grille product structure:

1. Aluminum Track Support Frame

- (1) One aluminum track support frame on top and one on the bottom, fixed on the upper and lower edge of the glass window;
- (2) The role of the aluminum track support frame: the support frame plays the role of fixing the steel wire;

In strict accordance with national standards, the aluminum track support frame uses "National Standard GB 6063-T5" material, thickness 2.0, hardness: 13 degrees,

From a mechanical point of view, it can withstand a force of 500 kg and is guaranteed to be used for more than 10 years.

(3) The surface of the supporting aluminum material is sprayed with baking paint six times. Conventional colors:white, black,green, grey and so on;

Add.:No.7-101,Baoyuan Road,Huijiang Village,Dashi Town,Panyu,Guangzhou City. E-mail:alicechan_1001@hotmail.com Mp:+86-15914233525 Fax.:+86-20-61906355

Website: www.invisible-grille.com

Wechat &WhatsAPP:+86-15914233525 Contact person: Ms Alice

Aluminum Track Colour:





2.Steel wire

(1) High-strength 316(12+1) steel wire with a diameter of 2.0mm and a spacing of 5cm or 6cm to form by vertical or horizontal installation.

Add.:No.7-101,Baoyuan Road,Huijiang Village,Dashi Town,Panyu,Guangzhou City. E-mail:alicechan_1001@hotmail.com Mp:+86-15914233525 Fax.:+86-20-61906355

Website: www.invisible-grille.com

Wechat &WhatsAPP:+86-15914233525 Contact person: Ms Alice

Vertical Installation Showing:



Horizontal Installation Showing:



Add.:No.7-101,Baoyuan Road,Huijiang Village,Dashi Town,Panyu,Guangzhou City. E-mail:alicechan_1001@hotmail.com Mp:+86-15914233525 Fax.:+86-20-61906355

Website: www.invisible-grille.com
Wechat &WhatsAPP:+86-15914233525 Contact person: Ms Alice

Prevent illegal intrusion outside,-keep hidden safety hazards outdoors;

- (2) High-strength 316(12+1) steel wire is resistant to rust and corrosion; a single steel wire bears 110KG;
- (3) The built-in anti-theft special core of High-strength 316(12+1) steel wire, double insulation, prevent false alarms and omissions;
- (4) The outer surface of the steel wire is wrapped with the nylon coating to protect the rush;
 - (5) Quick escape design, fast dismantling in 3-5 seconds.

